	CLASSIFICATION BECRET/SECURITY IN CENTRAL INTELLIGENCE AGEN	ICY REPORT	50X1-HL
COUNTRY USS	R/Germany (Sorice Zone)	DATE DISTR. 28 Jan 5	2
SUBJECT BOY	iet Army Communications	NO. OF PAGES 5	
PLACE ACQUIRED		NO. OF ENCLS.	
ATE CQUIRE		SUPPLEMENT TO REPORT NO.	50X1-H
ATE OF	and the second s	•	1
47 THE WASTED STA AND 754, OF THE S LATION OF 176 COP	***** 18 de 4666771 B' SH PASTINGALES PERSON IN ***	THIS IS UNEVALUATED INFORMATION	N
er reg vestro etc. 200 750, pt 192 c 2012ce er 175 cer 2020151745 pt 142	"Service of Communications" (CAYESA Army, Artillery is referred to as the and Communications as the "Nerve".		.

Officer candidates are selected on the basis of intelligence and aptitude and those having a junior high school education, plus any available technical ability are preferred. Enlisted technicians are likewise selected for intelligence, aptitude, and education, from available personnel. No selection is made in the case of non-technical enlisted personnel.

The issuance of mapplies and equipment is based on Tables of Equipment and follows normal command channels, with written requisitions, etc. All non-expendable material has a prescribed "term of exploitation", or service life; tables prescribe the expected service life for all items, and allowances are made for the condition at the time of issue. If the expected service life is not met, an investigation is held to determine the reasons and to assign responsibility, with corrective action to follow; should it be exceeded, commendation is awarded. At the end of the expected service life, in the case of major units, a board of officers decides upon the disposition of the equipment. If it is still operable, it is continued in service or necessary repairs are made. Replacement of functioning equipment is never authorized automatically at the completion of expected service life.

				CLASSI	FICATION	SECRET/	security	INFOR	MATION		SEGR	ET		
	STATE	X	NAVY	X		DIS	STRIBUTION							
	ARMY	X	AIR	X		AEC	XFB					<u>L_L</u>		
JAN 1961 81-40		د سد					,	1 1 3		- :			iar ar	

Sanitized Copy Approved for Release 2011/01/20: CIA-RDP80-00809A000600010190-6

SEGRE WITH THE SECRET PROPERTY OF SECRET

Minor repairs are performed by organic personnel in using units. Major repairs including the replacement of sub-assamblies are performed in shops at Division level. Repairs beyond the scope of Divisi is shops are performed in the shops attached to Corps and Field Amies. To obtain repairs to a tank radio, for example, the radio operator reports the nature of the trouble to his tank commender; the tank commender then makes a verbal report to the company commander, who in turn makes a written report to the chief of commications of the next higher unit. The chief of compunications then makes a decision as to the manner in which the repairs should be made. When communications equipment is placed in storage it is sealed to prevent its unauthorized use: this precaution is taken to prevent troops from listoning to VOL, BBC, etc.

Inlisted operator personnel and other non-technical personnel are trained in line units. This unit training has no special length; it runs through the first threeyear enlighment. Technicians are trained in special schools in signal regiments, and then returned to their units. Training of personnel is well-rounded, with approximately 1/3 of the time spent in specialist training and 2/3 of the time spent in general military and political training. Training received in the Red Army is very important in that it also serves as a vocational training for personnel when they are released from the service.

50X1-HUM

The main Communications School for officers of the Soviet Army is located in Leningrad. During the three-year course, students hold the rank of Cadet and upon graduation they are commissioned as Junior Lieutenants or Lieutenants, depending on their standing in the class. In order to be commissioned, personnel must be regarded as politically reliable. Commissions are in the Regular Army and officers remain on active duty until they reach the age of 60 or have had 25 years of service. Enlicted personnel of the Regular Army who have attended specialist schools are subject to the same regulations.

8,

Communications in the Soviet Army are considered adequate, and the Service of Communications enjoys general respect among the troops. In addition, the inportable of communications within any organization is enhanced because they are the direct personal responsibility of the Chief of Staff of that organization.

3.

In the Soviet Army, communications are considered as indispensible to the proper functioning of a military unit as the Staff. In a tactical unit the Chief of Communications functions directly under the Chief of Staff, the latter having responsibility for communications within his unit. The communications organizations normally found within tactical units of the Soviet Army are as follows:

Corps Division Regiment

Communications Regiment 2 or 3 Communications Battalions Communications Battalions Communications Company (War-time basis)
Communications Platoon (Peace-time basis) Communications Platoon (War-time basis) Communications Squad (Peace-time basis)

Battalion

In peace-time, battalions and higher echelons use very little radic and a maximum amount of civil wire facilities. For this reason, the size of the communications establishment is reduced. Reponsibility for communications is from the major unit to its subordinate and also to maintain liaison with the unit on its right.

SECRET

SECRET/SECURITY INFORMATION

Sanitized Copy Approved for Release 2011/01/20 : CIA-RDP80-00809A000600010190-6

Sanitized Copy Approved for Release 2011/01/20: CIA-RDP80-00809A000600010190-6

SECRIF AND DIST	IMPORMATION SEGRET	
13,340		

50X1-HUM

employment of radio in armored divisions.

Radio note for command purposes in armored divisions, regiments and battalions exist and are marked in standby conditions at all times. A strict radio silence is maintained except during actual or simulated combet conditions. Administrative radio nets are not found in Divisions and lower echelons of the Soviet Army. Command nets at company and platoon lovel in armored divisions are operated under conditions similar to nets in the higher echelons although they are more often used because of the difficulty of maintaining wire contact with individual tanks and small claments. Reconnaissance and aircraft warning radio nets are not used; in the case of reconnaissance elements, strict radio silence is normally maintained although in case of emergency normal command channels may be utilized.

50X1-HUM

50X1-HUM

11

The bulk of electrical communications within a Soviet Armored Division is handled over wire lines, with teletype used from Divisions up. Maximum utilization is made of existing civil facilities. Communication by radio is authorized only during advances or emergencies, while communication by wire is used at other times in static and in combat situations and during planned withdrawals. The Soviet Army emphasizes the lack of security of wire communications and prohibits the transmission of messages in the clear. The destruction of telephone lines by vehicular traffic is recognized as a serious problem, but no special preventive means are taken other than the occasional Durying of lines in critical areas.

12.

Each headquarters has calisted messenger service available 24 hours daily. Messengers are occasionally used from small isolated positions in preference to radio when who cannot be laid. Officer couriers are used to carry important messages. Electrical cryptographic equipment does not exist at division level; all enciphering is done manually by double transposition methods. Signal lights, colored flares, and panels are sometimes used to fill particular requirements.

13

Liaison aircraft are used by the Soviet Army only in special situations. Airground liaison radio nets can be set up for artillery spotting and for attack bombing but are not generally used. The main communication between aircraft and ground is by prearranged rocket and panel signals. Pick-up and drop messages are not used.

14

Infantry troops maintain liaison with tanks by visual signals including tracer bullets. Connections for external telephones are probably not available on tanks.

15

the Soviet equivalent of Signal Operations Instructions

The name by which Signal Operations Instructions are known in the Soviet Army is Combat Communication Orders (BCEBNE TPNKA3N CERRN). These are issued by the Chief of Staff and bear the security classification of SECRET.

16.

Attached to each communications regiment (one to each Field Army) is a unit charged with radio countermeasures. This unit is composed of military personnel but operates under political direction. These units are equipped with transmitters to jem enemy radio transmissions and they also have radio direction-finding equipment to locate enemy transmitters and also the source of enemy jamming. Information obtained concerning the location of enemy jamming equipment is transmitted to artillery or aircraft units for suitable action. Defense against enemy jamming consists merely of refinement of operator techniques. No special procedures are used. The commanding officer of the jamming unit has a special code book issued by Military District Headquarters; this code book is separate from that issued by the Division Security Section. On one occasion, the commanding officer of the jamming unit referred sclely to this special code book when contacting by radio an airplane flying overhead.

SECRET/SECURITY INFORMATION SEGRET

S. B. Sansan

SECRUT/SECURITY INFORMATION

2	F	ſ,	N	E	1	
2.5	8	1, 3	10			

-4-

No might driving or night gummary devices are known to exist. There are not ever any rumors of their future appearance in tactical organizations in Bactern German Moro are, however, rumors among Soviet personnel that Americans possess these themes. It guit novement by Soviet tanks is extremely limited. In cases of absolute control, tanks move short distances over prearranged routes or follow personne or feat. The only rains found in argoral units of the Soviet Anny in Eastern Germany is a single, early warning type rader assigned each division in sensitive border areas; this radar is operated by military personnel but is under political controlled and the result of the soviet and the sense in the radar is operated by military personnel but is under political controlled from the usual whip and flat-top antennas. Mo unusual radio antenna equipment was noted near division command positions, and from the usual whip and flat-top antennas. Soviet policy is to utilize sivil wire communications to the greatest extent now with the department with the department of the construction of tamperary open wire telephone lines. Very limits cable is used for telephone had been available. Light plue poles are used extensively for the construction of temporary open wire telephone is used for telephone should be a provided to the open wire pole line. Military carrier telephone to connect switchboards to the open wire pole line. Military carrier telephone systems permit the transmission of 12 conversations on each pair of telephone lines. Each division headquarters uses three or four Type FK-30 switchboards. The TAI-43 is the standard field telephone in use in the Soviet Army. In performance it is approximately the same as the American Type FK-30 switchboards. The TAI-43 is the standard field telephone in use in the Soviet Army. In performance it is approximately the same as the American Type FK-30 switchboards. The Type FM-64. The Type FM-64 is the Type FM-64 is the Pype FM-64 is the Type FM-64 is the Pype FM-64 is the Pype FM	is from EAS-60 batte with now equipment.	used in Type T-34 tanks is the Type RB-70. Plate voltage supperies. During the summer of 1951, this equipment was replaced. The details on the new equipment are not known. Radio equipment 5 JS-3 tank is not known.
Energy are, however, rumors among Soviet personnel that Americans possess these items. Hight novement by Soviet tanks is extremely limited. In cases of absolunce asity, tanks move short distances over prearranged routes or follow personne on foot. The only radar found in armored units of the Soviet Army in Eastern Germany is a single, early warning type radar assigned each division in sensitive border armons; this rudar is operated by military personnel but is under political control through the interest of the street of tanks are known to exist. No unusual radio antenna equipment was noted near division command positions, aside from the usual whip and flat-top antennas. Notict noticy is to utilize civil wise communications to the greatest extent posible. During peace time, pole line construction is used as far down as regamental handwarters, with field wire below. During war time, pole line construction is used when available. Light pike poles are used extensively for the construction of temporary open wire telephone lines. Very little cable is used for telephones. Lead or jute-covered cable is used for telegraph and for telephone to connect switchboards to the open ware pole line. Military currier telephone systems permit the transmission of 12 conversations on each pair of telephone lines. Each division headquarters uses three or four Type FR-3-A. Phonetic type to the construction are in current use, as is the Type UNA-131. The Type FRIM-6 switchboard is obsolete and is no longer used. In radio equipment, the RP-45, the NP-70 are in current use - these are both World War II pieces of equipment. Now Type 5AK-1-II, the Cype, and the RRU radios are obsolete and no longer used. Now Type 5AK-1-II, the Cype, and the RRU radios are obsolete and no longer used. The significance of the SI member found on mans plates is morely that it is a spointfination or procurement number. SI is the abbreviation of the Russian world the significance of the SI member found on mans plates is morely that it is a spointfination for		
Single, early warning type rader assigned each division in sensitive border arons; this radar is operated by military personnel but is under political control that divisions have no radar at all. No radar fire control devices for tanks are known to exist. No unusual radio antenna equipment was noted near division command positions, aside from the usual whip and flat-top antennas. Soviet volicy is to utilize civil wire communications to the greatest extent possible. During peace-time, pole line construction is used as far down as regimental leadquarters, with field wire below. During war time pole line construction is used when available. Light pike poles are used extensively for the construction is used when available. Light pike poles are used for telephone is used for telephones. Lead or jute-covered cable is used for telephone at connect switchboards to the open wire pole line. Military currier telephone to connect switchboards to the open wire pole line. Military currier telephone lines. Each division headquarters uses three or four Type FK-30 switchboards. The TAI-43 is the standard field telephone in use in the Seviet Army. In performance it is approximately the same as the American Type EK-3-A. Filometic type telephones are in current use, as is the Type UMA-1-31. The Type FIN-6 switchboard is obsolete and is no longer used. In radio equipment, the RB-45, the RR-70 are in current use - these are both World War II pieces of equipment. The Type FAK-1-M, the CyK, and the RRU radios are obsolete and no longer used. The significance of the ST number found on wave plates is morely that it is a specialization or procurement number. ST is the abbreviation of the Russian worfer standard. In case parts for equipment are subcontracted they are identified only by the "ST" number thereby eleminating reference to the equipment type	ony rumors of their fi There are, hewever, r Ittems. Hight movement necessity, tanks move	future appearance in tactical organizations in Eastern Germany rumors among Soviet personnel that Americans possess these at by Soviet tanks is extremely limited. In cases of absolute
Single, early warning type rader assigned each division in sensitive border arons; this radar is operated by military personnel but is under political control that divisions have no radar at all. No radar fire control devices for tanks are known to exist. No unusual radio antenna equipment was noted near division command positions, aside from the usual whip and flat-top antennas. Soviet volicy is to utilize civil wire communications to the greatest extent possible. During peace-time, pole line construction is used as far down as regimental leadquarters, with field wire below. During war time pole line construction is used when available. Light pike poles are used extensively for the construction is used when available. Light pike poles are used for telephone is used for telephones. Lead or jute-covered cable is used for telephone at connect switchboards to the open wire pole line. Military currier telephone to connect switchboards to the open wire pole line. Military currier telephone lines. Each division headquarters uses three or four Type FK-30 switchboards. The TAI-43 is the standard field telephone in use in the Seviet Army. In performance it is approximately the same as the American Type EK-3-A. Filometic type telephones are in current use, as is the Type UMA-1-31. The Type FIN-6 switchboard is obsolete and is no longer used. In radio equipment, the RB-45, the RR-70 are in current use - these are both World War II pieces of equipment. The Type FAK-1-M, the CyK, and the RRU radios are obsolete and no longer used. The significance of the ST number found on wave plates is morely that it is a specialization or procurement number. ST is the abbreviation of the Russian worfer standard. In case parts for equipment are subcontracted they are identified only by the "ST" number thereby eleminating reference to the equipment type		
Soviet policy is to utilize sivil wire communications to the greatest extent possible. Earing peace-time, pole line construction is used as far down as regimental landquarters, with field wire below. During was time pole line construction is used when available. Light pike poles are used extensively for the construction of temporary open wire telephone lines. Very little cable is used for telephones. Lead or jute-covered cable is used for telephones. Lead or jute-covered cable is used for telephone to connect switchboards to the open wire pole line. Military carrier telephone systems permit the transmission of 12 conversations on each pair of telephone lines. Each division headquarters uses three or four Type FK-30 switchboards. The TAT-47 is the standard field telephone in use in the Soviet Army. In performance it is approximately the same as the American Type EE-8-A. Phonetic type telephones are in current use, as is the Type UNA-I-31. The Type FIN-6 switchboard is obsolete and is no longer used. In The Type 5AK-1-M, the CPK, and the RRU radios are obsolete and no longer used. The Type 5AK-1-M, the CPK, and the RRU radios are obsolete and no longer used. The significance of the ST number found on mane plates is morely that it is a specialization or procurement number. ST is the abbreviation of the Russian wor for standard. In case parts for equipment are subcontracted they are identified only by the "ST" number thereby eleminating reference to the equipment type	single, early warning trens; this radar is Other divisions have	g type radar assigned each division in sensitive border operated by military personnel but is under political control
Soviet policy is to utilize sivil wire communications to the greatest extent possible. Earing peace-time, pole line construction is used as far down as regimental landquarters, with field wire below. During was time pole line construction is used when available. Light pike poles are used extensively for the construction of temporary open wire telephone lines. Very little cable is used for telephones. Lead or jute-covered cable is used for telephones. Lead or jute-covered cable is used for telephone to connect switchboards to the open wire pole line. Military carrier telephone systems permit the transmission of 12 conversations on each pair of telephone lines. Each division headquarters uses three or four Type FK-30 switchboards. The TAT-47 is the standard field telephone in use in the Soviet Army. In performance it is approximately the same as the American Type EE-8-A. Phonetic type telephones are in current use, as is the Type UNA-I-31. The Type FIN-6 switchboard is obsolete and is no longer used. In The Type 5AK-1-M, the CPK, and the RRU radios are obsolete and no longer used. The Type 5AK-1-M, the CPK, and the RRU radios are obsolete and no longer used. The significance of the ST number found on mane plates is morely that it is a specialization or procurement number. ST is the abbreviation of the Russian wor for standard. In case parts for equipment are subcontracted they are identified only by the "ST" number thereby eleminating reference to the equipment type		
sible. During peace-time, pole line construction is used as far down as regimental handquarters, with field wire below. During war time pole line construction is used when available. Light pike poles are used extensively for the construction of temporary open wire telephone lines. Very little cable is used for telephones. Lead or jute-covered cable is used for telegraph and for telephone to connect switchboards to the open wire pole line. Military carrier telephone systems permit the transmission of 12 conversations on each pair of telephone lines. Each division headquarters uses three or four Type FK-30 switchboards. The TAI-43 is the standard field telephone in use in the Seviet Army. In performance it is approximately the same as the American Type EE-8-A. Phonetic type telephones are in current use, as is the Type UMA-I-31. The Type FIN-6 switchboard is obsolete and is no longer used. In radio equipment, the RB-45, the RB-70 are in current use - these are both World War II pieces of equipment. The Type SAK-1-M, the CPK, and the RRU radios are obsolete and no longer used. New sets to replace the RB-70 are in the hands of troops, but no information on them is evailable. The significance of the ST number found on wome plates is merely that it is a specialfication or procurement number. ST is the abbreviation of the Russian wor for standard. In case parts for equipment are subcontracted they are identified only by the "ST" number thereby eleminating reference to the equipment type	To unusual radio anto	enna equipment was noted near division command positions, whip and flat-top antennas.
sible. During peace-time, pole line construction is used as far down as regimental handquarters, with field wire below. During war time pole line construction is used when available. Light pike poles are used extensively for the construction of temporary open wire telephone lines. Very little cable is used for telephones. Lead or jute-covered cable is used for telegraph and for telephone to connect switchboards to the open wire pole line. Military carrier telephone systems permit the transmission of 12 conversations on each pair of telephone lines. Each division headquarters uses three or four Type FK-3C switchboards. The TAI-43 is the standard field telephone in use in the Seviet Army. In performance it is approximately the same as the American Type EE-8-A. Phonetic type telephones are in current use, as is the Type UNA-I-31. The Type FIN-6 switchboard is obsolete and is no longer used. In radio equipment, the RB-45, the NN-70 are in current use - these are both World War II pieces of equipment. The Type EAK-1-M, the GPK, and the RRU radios are obsolete and no longer used. How sots to replace the RB-70 are in the hands of troops, but no information on them is evailable. The significance of the ST number found on mans plates is merely that it is a specialfication or procurement number. ST is the abbreviation of the Russian wor for standard. In case parts for equipment are subcontracted they are identified only by the "ST" number thereby eleminating reference to the equipment type		
Tormance it is approximately the same as the American Type EE-8-A. Phonetic type tolephones are in current use, as is the Type UNA-I-31. The Type FIN-6 switchboard is obsolete and is no longer used. In radio equipment, the RB-45, the RB-70 are in current use - these are both World War II pieces of equipment. The Type EAK-1-M, the GPK, and the RRU radios are obsolete and no longer used. How sets to replace the RB-70 are in the hands of troops, but no information on them is evailable. The significance of the ST number found on some plates is merely that it is a specialfication or procurement number. ST is the abbreviation of the Russian wor for standard. In case parts for equipment are subcontracted they are identified only by the "ST" number thereby eleminating reference to the equipment type	siblo. During peace told houdquarters, with used when available tion of temporary operatelophones. Lead or to comeet switchboars yestems permit the ti	-time, pole line construction is used as far down as regimenth field wire below. During war time, pole line construction le. Light pike poles are used extensively for the construction wire telephone lines. Very little cable is used for jute-covered cable is used for telegraph and for telephone rds to the open wire pole line. Military currier telephone ransmission of 12 conversations on each pair of telephone
Torsance it is approximately the same as the American Type EE-8-A. Phonetic type tolephones are in current use, as is the Type UNA-I-31. The Type FIN-6 switchboard is obsolete and is no longer used. In radio equipment, the RB-45, the RB-70 are in current use - these are both World War II pieces of equipment. The Type SAK-1-M, the GPK, and the RRU radios are obsolete and no longer used. How sets to replace the RB-70 are in the hands of troops, but no information on them is evailable. The significance of the ST number found on some plates is merely that it is a specialfication or procurement number. ST is the abbreviation of the Russian wor for standard. In case parts for equipment are subcontracted they are identified only by the "ST" number thereby eleminating reference to the equipment type		
specialization or procurement number. ST is the abbreviation of the Russian wor for standard. In case parts for equipment are subcontracted they are identified only by the "ST" number thereby eleminating reference to the equipment type	formance it is approximate to the tolephones are a switchboard is obsolute RR-70 are in currant The Type SAK-1-M, the How sets to replace	ximately the same as the American Type EE-8-A. Phonotic in current use, as is the Type UNA-I-31. The Type FIN-6 ete and is no longer used. In radio equipment, the RB-45, rent use - these are both World War II pieces of equipment. e CPK, and the RRU radios are obsolete and no longer used.
specialfication or procurement number. ST is the abbreviation of the Russian wor for standard. In case parts for equipment are subcontracted they are identified only by the "ST" number thereby eleminating reference to the equipment type		
·	speidification or profer standard. In case only by the "ST" number	ocurement number. ST is the abbreviation of the Russian word se parts for equipment are subcontracted they are identified her thereby eleminating reference to the equipment type
In general, no now equipment has		<u> </u>

SECRET

SECTET/SECURITY INFORM TION

SECRET

-5-

Underground telephone cables are used in the USSR both in larger cities and on trunk lines between large cities. One such cable is under construction between Moscow and Khabarevek, Siberia. There is considerable construction activity in the USSR in the installation of additional underground telephone cable. Ceramic tiles are used to protect cables when laid underground.

50X1-HUM

26

Comman-type dial telephones and exchanges are found only in metropolitan areas. Smaller cities use common battery switchboards. There are a few local battery switchboards remaining but those are being converted to common battery operation. Open wire telephone lines employ copper wire. Carrier is used on long distance civil telephone circuits and can transmit up to 18 conversations per circuit. The quality of long distance conversations between major cities is variable although generally very good. To outlying areas and to Satellite countries, the quality is sematimes very poor and is, in general, not good. Long distance telephone calls may be placed from public long distance telephone stations; cortain important individuals may place long distance telephone calls from their longs.

27

Important military radio stations are located in the following places:
15 kilometers south of Leningrad, at Sosnevaya Folyana (COCHOBAS MOASHA);
it may be reached by taking car #20 directly in front of the Kazan Cathedral and
riding to the end of the line. This radio station is guarded by 16 men on a
three-shift basis. Another major station is located seven kilometers from Minsk.
Another one is located near the city of Kiev opposite the Dnieper River. A fourth
large radio station is located in Brest-Litevsh at the corner of Karl Marx and
theorizable. The only antennas seen in the vicinity of these radio stations have
been conventional rhombic and flat top antennas.

23.

All communications facilities, railroads, bridges, tunnels, factories, etc. are guarded in the USSR. Radio stations, because of their extreme importance, are generally guarded by cadete from military schools. Cadets are used because they are considered the most reliable of all personnel. Telephone exchanges are guarded by militia and ordinary watchmen. Guarding of important installations is considered a part of cadet training, and all cadets serve some time at this work.

29.

Any person in the USSR may own a radio receiver; all such receivers, however, must be registered with the Post Office. Most officers own a radio receiver; not all do, however, because they are relatively quite expensive. An estimated 15-20% of the population of the USSR owns radio receivers and nearly all of these people at some time or another listen to Voice of America or BBC broadcasts. Any music programs may be listened to without penalty, but severe penalties are given to those people caught listening to other types of programs. In general, transmissions in lenguages other than Russian are not jammed, although jamming occurs on English language programs given at dictation speed. The system of wired loudspeakers is widely used throughout the USSR; an estimated 70% of the population are exposed to them in the course of their normal daily activities. They are located on the streets, in homes, stores, factories, etc. The programs presented over the loudspeaker systems are mostly music and political indoctrination and are always at a high volume level. A major percentage of the Russian people are tired of the constant propaganda pounding, and resent the presence of these speakers even though nothing can be done about it. A system of wired loudspeakers is also present in the Army with receivers operating at division headquarters and loudspeakers down to company areas.

30.

The listening to broadcasts of the Voice of America and BBC by Seviet communications personnel constitutes a definite security problem in the Seviet Army. Apparently the practice is almost universal, and it continues despite strenuous efforts to stop it. Soviet field and tank radio sets can tune frequencies used by VOA and BBC, and operators often turn their sets to listen to these programs. Reception is generally fairly good and the content of these broadcasts is widely discominated.

SECRET/SECURITY INFORMATION

SFRRET